


Back Ring Adaptor Flange



Material = ST-37.2

SIZE (inch)	MATCHING DIMENSIONS					BORE DIM (B ₁)	FLANGE THICKNESS T	TOLERANCES		SIZE (inch)
	(D)	(K)	(V)	BOLTS				B ₁	T	
				No. (N)	Size nominal					
3/4	98	70	16	4	M14	34	10	0.5+	1+	3/4
1	108.0	79.0	16	4	M14	44	10	0.5+	1+	1
1-1/4	117.0	89.0	16	4	M14	52	10	0.5+	1+	1-1/4
1-1/2	127.0	98.0	16	4	M14	63	10	0.5+	1+	1-1/2
2	152.0	121.0	19	4	M16	78	10	0.5+	1+	2
2-1/2	178.0	140.0	19	4	M16	92	10	0.5+	1+	2-1/2
3	191.0	152.0	19	4	M16	108	10	1+	1+	3
4	229.0	190.0	19	8	M16	129	10	1+	1+	4
5	254.0	216.0	22	8	M20	158	14	1+	1+	5
6	280.0	241.0	22	8	M20	178	14	1+	1+	6
*6	280.0	241.0	22	8	M20	188	14	1+	1+	special dim "6
8	343.0	298.0	22	8	M20	238	14	1+	1+	8
10	406.0	362.0	25	12	M23	297	16	1+	1+	10
12	483.0	432.0	25	12	M23	338	16	1+	1+	12
14	533.0	476.0	29	12	M27	408	16	1+	1+	14
*14	533.0	476.0	29	12	M27	378	16	1+	1+	special dim "14
16	597.0	540.0	29	16	M27	432	18	1+	1+	16
18	635.0	578.0	32	16	M30	515	18	1+	1+	18
20	698.0	635.0	32	20	M30	533	20	1+	1+	20
24	813.0	749.0	36	20	M34	645	24	1+	1+	24
32	1060.0	978.0	40	28	M38	850	24	1+	1+	32



Mendelson – S.Bar Ltd.

E-Mail: info@mlsbar.com Web Site: www.mlsbar.com



✚ All sizes are in millimeters.

✚ Red marking [6 " * / 14 " *] are special dimension's for Desalination industry

✚ Standard marking shall be : MLS , BR , ST37.5 , SIZE , 150lbs